New Gen Tech Global Copperation Limited











New Gen Technology International

New Gen Tech Global Cooperation Limited was established in 2008 and its located in the heart of china. New Gen Tech is a professional manufacturer of ATV, UTV, hoverboards, electric bikes, specialising in research, development, design, production and export of modern technology. Our products comply with ISO9001, WMI BSCI, certificate. Balance scooter with UL/CE approved, ATV and Dirt bike are CE available. We have EPA certification for the American market and EEC certification for the Europe market. All electric bike has CE and EN15194 certificate. Our intension for the business is to continually expand and develop encompassing all aspects of the dynamic and popular sport. This ever-expanding range of high-quality products with its compact dimensions and robust construction are designed to accomplish full sized tasks. New Gen Tech Global Cooperation Limited is run by a team of people with real experience in the industry. We have a wealth of knowledge and we are very happy to talk to our customers and find the best solution for their needs. If you are looking for equipment and accessories for ATVs and UTVs then New Gen Tech Global Cooperation Limited are the suppliers you can count on for service and value. Our products are deeply loved by customers at home and internationally.

With the progression of time New Gen Tech is keeping up to the standards. New Gen Tech has been recognised from its domestic as well as international clients for its fine quality and unique and elegant designs. Our factory boasts of an area of 10000 sqm, with exclusive design team, QC team. We have the perfect production management system producing high quality products at high standards for high end goods.



NGT-U01

1. engine type:200cc

2.max torque :10.1Nm/6000rpm-10.2Nm/5000rpm

3. max power :10.1Nm/6000rpm-10.2Nm/5000rpm

4. ignition type : CDI

5. transmission :automatic with reverse ,chain

6.Brake (Front/Rear):Disc/Disc

7. starting system :Electric start

8. battery spec :12V,9AH

9. front suspension details :double A x swing arm

10. rear suspension details :air chamber shock absorbers 11. front tire spec: Front: 19*7-8

12. rear tires spec : Rear: 18*9.50-8

13. vehicle dimensions :2360×1300×1600mm

14. seat height from ground :550mm 15. ground clearance :120 mm

16. load capacity :400 KG

17. fuel tank capacity :7L

18.gross weight in carton: 320 KG

19. net weight: 288KG

20. packing size:1800×1000×750mm

Container:8 pcs/20 FT container 27 pcs/40 HQ container



NGT-U02

1.engine type:150cc/200cc/300cc

6.Brake (Front/Rear):Disc/Disc

7. starting system :Electric start

11. front tire spec : 165/70-10

12. rear tires spec : 225/40-10

15. ground clearance :120 mm

16. load capacity :400 KG

17. fuel tank capacity :9L

14. seat height from ground :550mm

18.gross weight in carton: 220 KG 19.net weight: 200KG

20. packing size:2400x1270x1020 mm

8. battery spec :12V,9AH

4. ignition type : CDI

2.max torque :10.1Nm/6000rpm-10.2Nm/5000rpm

3. max power :10.1Nm/6000rpm-10.2Nm/5000rpm

5. transmission :automatic with reverse ,chain

9. front suspension details :double A x swing arm

13. vehicle dimensions :2350x1200x1530 mm

10. rear suspension details :air chamber shock absorbers

Container:8 pcs/20 FT container 27 pcs/40 HQ container

NGT-A01

1. engine type :110cc,4 storke 2. max torque : 5.5Nm/5000rpm

max power :3.6kw/7500rpm,

4. ignition type :CDI

6.Brake (Front/Rear):Drum/Disc

. starting system :Electric start 8. battery spec :12V,4AH

9. front suspension details :double A x swing arm

10. rear suspension details :mono shock swing arm

11. front tire spec : 145/70-6 12. rear tires spec : 145/70-6

13. vehicle dimensions :127x68x88cm

14. seat height from ground :60cm 15. ground clearance :100mm

16. load capacity:75kg

17. fuel tank capacity :3.2L

18. gross weight in carton :77kg

19. net weight :70kg

20. packing size:115x67x66cm

Conveyance:51pcs/20ft, 102pcs/40ft, 136pcs/40'HQ



9. front suspension details :double A x swing arm

NGT-U03 1. engine type:200cc

10. rear suspension details :air chamber shock absorbers 11. front tire spec : Front: 19*7-8
12. rear tires spec : Rear: 18*9.50-8

2.max torque :10.1Nm/6000rpm-10.2Nm/5000rpm 3. max power :10.1Nm/6000rpm-10.2Nm/5000rpm

5. transmission :automatic with reverse ,chain

13. vehicle dimensions :2360×1300×1600mm

14. seat height from ground :550mm

15. ground clearance :120 mm

4. ignition type : CDI

6.Brake (Front/Rear):Disc/Disc

7. starting system :Electric start 8. battery spec :12V,9AH

16. load capacity :400 KG

17. fuel tank capacity:12L 18.gross weight in carton: 202 KG

19. net weight: 178KG 20. packing size:2300×1300×760mm

tainer:8 pcs/20 FT container 27 pcs/40 HQ container



1. engine type :110cc,4 storke

2. max torque : 5.5Nm/5000rpm

3. max power :3.6kw/7500rpm,

4. ignition type :CDI

6.Brake (Front/Rear):Drum/Disc

7. starting system :Electric start

8. battery spec :12V,4AH

9. front suspension details :double A x swing arm

10. rear suspension details :mono shock swing arm

11. front tire spec : 145/70-6 rear tires spec : 145/70-6

12. vehicle dimensions :146x94x90cm

13. wheel base :880mm

14. seat height from ground :60cm

15. ground clearance:100mm

16. load capacity :75kg 17. fuel tank capacity :3.2L

18. gross weight in carton :110kg

19. net weight :102kg

20. packing size:131X84X66cm

Conveyance:34pcs/20ft ,92pcs/40'HQ



1. engine type :110cc,4 storke

2. max torque : 5.5Nm/5000rpm 3. max power :3.6kw/7500rpm,

5. transmission :automatic.chain

7. starting system :Electric start

10. rear suspension details :mono shock swing arm

11. front tire spec : 145/70-6 rear tires spec : 145/70-6

14. seat height from ground :70cm 15. ground clearance :110mm

16. load capacity:150kg

17. fuel tank capacity :5L 18. gross weight in carton :113kg

20. packing size:131X84X66cm



NGT-A03

1. engine type :110cc,4 storke

2. max torque : 5.5Nm/5000rpm

3. max power :3.6kw/7500rpm, 4. ignition type :CDI

7. starting system :Electric start

8. battery spec :12V,4AH

9. front suspension details :double A x swing arm

10. rear suspension details :mono shock swing arm 11. front tire spec : 145/70-6 rear tires spec : 145/70-6

13. wheel base :940mm

15. ground clearance :110mm

19, net weight :108kg

Conveyance:30pcs/20ft ,92pcs/40'HQ



NGT-A04

4. ignition type :CDI

6.Brake (Front/Rear):Drum/Disc

8. battery spec :12V,4AH

9. front suspension details :double A x swing arm

12. vehicle dimensions :141x97x100cm

13. wheel base :940mm

19. net weight :105kg

Conveyance:30pcs/20ft ,92pcs/40'HQ



5. transmission :automatic,chain 6.Brake (Front/Rear):Drum/Disc

12. vehicle dimensions :141x97x100cm

14. seat height from ground :70cm

16. load capacity :150kg 17. fuel tank capacity :5L

18. gross weight in carton :116kg

20. packing size:131X84X66cm

NGT-A05

1. engine type :110cc,4 storke 2. max torque : 5.5Nm/5000rpm 3. max power :3.6kw/7500rpm, 4. ignition type :CDI

6.Brake (Front/Rear):Drum/Disc

7. starting system :Electric start 8. battery spec :12V,4AH

9. front suspension details :double A x swing arm

10. rear suspension details :mono shock swing arm

11. front tire spec: 145/70-6 rear tires spec: 145/70-6 12. vehicle dimensions:152x86x91cm

13. wheel base :880mm

14. seat height from ground :60cm

15. ground clearance :100mm 16. load capacity :75kg

17. fuel tank capacity :3.2L 18. gross weight in carton :90.5kg

19. net weight :83kg 20. packing size:125x76x66cm

Qty/20' GP:36 units,Qty/40' GP: 81 units,Qty/40' HQ:

108 units





NGT-A06

- 1. engine type :110cc,4 storke
- 2. max torque : 5.5Nm/5000rpm 3. max power :3.6kw/7500rpm,
- 4. ignition type :CDI
- 5. transmission :automatic chain
- 6.Brake (Front/Rear):no/Disc
- 7. starting system :Electric start
- 8. battery spec :12V,4AH
- 9. front suspension details :double A x swing arm
- 10. rear suspension details :mono shock swing arm
- 11. front tire spec : 145/70-6 rear tires spec : 145/70-6 12. vehicle dimensions :138x86x94cm
- 13. wheel base :880mm
- 14. seat height from ground :60cm
- 15. ground clearance :100mm 16. load capacity :75kg
- 17. fuel tank capacity :3.2L
- 18. gross weight in carton :90kg
- 19. net weight :78kg
- 20. packing size:117x77x64cm
- Conveyance:45pcs/20ft, 90pcs/40'ft ,120 units/40' HQ



NGT-A07

- 1. engine type :110cc,4 storke
- 2. max torque : 5.5Nm/5000rpm 3. max power :3.6kw/7500rpm,
- 4. ignition type :CDI
- 5. transmission :automatic ,chain 6.Brake (Front/Rear):No/Disc
- 7. starting system :Electric start 8. battery spec :12V,4AH
- 9. front suspension details :double A x swing arm
- 10. rear suspension details :mono shock swing arm
 11. front tire spec : 145/70-6 rear tires spec : 145/70-
- 12. vehicle dimensions :138x75x90cm
- 13. wheel base :880mm
- 14. seat height from ground :60cm
- 15. ground clearance: 100mn

- 15. ground clearance :100mm 16. load capacity :75kg 17. fuel tank capacity :3.2L 18. gross weight in carton :80kg 19. net weight :70kg

- 20. packing size:129x76x65cm Conveyance:Qty/20' GP:36 units Qty/20' GP:36 units,Qty/40' GP: 81 units,Qty/40' HQ:





NGT-N08

- 1. engine type :GY6-150cc,4 storke
- 2. max torque :10Nm/5500rpm 3. max power :9.3kw/7500rpm
- 4. ignition type :CDI
- 5. transmission :automatic
- 6.Brake (Front/Rear):Drum/Disc 7. starting system :Electric start
- 8. battery spec :12V,9AH
- 9. front suspension details :double A x swing arm
- 10. rear suspension details :mono shock swing arm 11. front tire spec : 19x7-8 rear tires spec : 18x9.5-8
- 12. vehicle dimensions :155x88x95cm 13. wheel base :1000mm
- 14. seat height from ground :75cm
- 15. ground clearance:100mm
- 16. load capacity :140kg
- 17. fuel tank capacity :4.5L 18. gross weight in carton :173kg
- 19. net weight :158kg
- 20. packing size:145X84X75cm Conveyance:33pcs/20ft,66pcs/40'HQ



NGT-A09

- 1. engine type :GY6-150cc,4 storke
- 2. max torque :10Nm/5500rpm 3. max power :9.3kw/7500rpm
- 4. ignition type :CDI
- 5. transmission :automatic
- 6.Brake (Front/Rear):Drum/Disc
- 7. starting system :Electric start 8. battery spec :12V,9AH
- 9. front suspension details :double A x swing arm
- 10. rear suspension details :mono shock swing arm
- 11. front tire spec : 19x7-8 rear tires spec : 18x9.5-8
 12. vehicle dimensions :158x120x110cm

- 13. wheel base :1150mm 14. seat height from ground :84cm
- 15. ground clearance :130mm 16. load capacity :150kg
- 17. fuel tank capacity :4.5L 18. gross weight in carton :193kg
- 19. net weight :178kg 20. packing size:149X84X75cm
- Conveyance:30pcs/20ft,65pcs/40'HQ



NGT-A10

- 1. engine type :GY6-150cc,4 storke
- 2. max torque :10Nm/5500rpm 3. max power :9.3kw/7500rpm
- 4. ignition type :CDI transmission :auton
- 6.Brake (Front/Rear):Drum/Disc
- 7. starting system :Electric start 8. battery spec :12V,9AH
- 9. front suspension details :double A x swing arm 10. rear suspension details :mono shock swing arm
- 11. front tire spec : 19x7-8 rear tires spec : 18x9.5-8 12. vehicle dimensions :155x88x95cm 13. wheel base :1000mm
- 14. seat height from ground :75cm
- 15. ground clearance:100mm
- 16. load capacity :140kg
- 17. fuel tank capacity :4.5L


- 18. gross weight in carton :177kg 19. net weight :162kg 20. packing size:149X84X75cm
- Conveyance:33pcs/20ft,66pcs/40'HQ



NGT-A11

- 1. engine type :GY6-150cc,4 storke 2. max torque :10Nm/5500rpm
- 3. max power :9.3kw/7500rpm
- 4. ignition type :CDI 5. transmission :automatic
- 6.Brake (Front/Rear):Drum/Disc
- 7. starting system :Electric start 8. battery spec :12V,9AH
- 9. front suspension details :double A x swing arm 10. rear suspension details :mono shock swing arm
- 11. front tire spec: 19x7-8 rear tires spec: 18x9.5-8 12. vehicle dimensions:158x120x110cm
 13. wheel base:1150mm
- 14. seat height from ground :84cm
- 15. ground clearance:130mm 16. load capacity :150kg
- 17. fuel tank capacity :4.5L 18. gross weight in carton :180kg
- 19 net weight :164kg 20. packing size:149x88x73cm







NGT-A12

- 1. engine type :GY6-150cc,4 storke
- 2. max torque :10Nm/5500rpm 3. max power :9.3kw/7500rpm

4. ignition type :CDI

- 5. transmission :automatic
- 6.Brake (Front/Rear):Drum/Disc 7. starting system :Electric start
- 8. battery spec :12V,9AH
- 9. front suspension details :double A x swing arm
- 10. rear suspension details :mono shock swing arm 11. front tire spec: 19x7-8. rear tires spec: 18x9.5-8
- 12. vehicle dimensions :169x102x108cm 13. wheel base:1200mm


19. net weight :160kg

- 14. seat height from ground :85cm
- 15. ground clearance :140mm 16. load capacity :180kg
- 17. fuel tank capacity :5L 18. gross weight in carton:176kg
- 20. packing size:149x90x75cm Conveyance:20pcs/20ft, 48pcs/40'HQ



NGT-A13

- 1. engine type :250cc,4 storke, Water Cooled. 2. max torque : 17.5Nm/5000rpm
- 3. max power :13kw/7500rpm. 4. ignition type :CDI
- 5. transmission :manual clutch,4-speed,reverse gear,chain
- 6.Brake (Front/Rear):Disc /Disc
- 7. starting system :Electric start
- 8. battery spec :12V,9AH
 9. front suspension details :double A x swing arm,:air chamber shock absorbers
- 10. rear suspension details :inner ballonet absorber
 11. front tire spec : 235 /30 12 rear tires spec : 235
- /30 12 12. vehicle dimensions :202 x 113 x 184cm
- 13. wheel base :130cm 14. seat height from ground :60cm
- 15. ground clearance :80mn 16. load capacity :370kg
- 17. fuel tank capacity :8L 18. gross weight in carton :170kg 19. net weight :155kg
- 20. packing size:148 x 83 x 84cm Conveyance:Qty/20' GP: 18 units,Qty/40' HQ: 42 units





NGT-A14

1. engine type :250cc,4 storke, Water Cooled.

2. max torque : 17.5Nm/5000rpm 3. max power :13kw/7500rpm.

4. ignition type :CDI

5. transmission :manual clutch,4-speed,reverse gear,chain

6.Brake (Front/Rear):Disc /Disc

7. starting system :Electric start 8. battery spec :12V,9AH

9. front suspension details :double A x swing arm,:air chamber shock absorbers

10. rear suspension details :inner ballonet absorber 11. front tire spec : 235 /30 - 12 rear tires spec : 235

12. vehicle dimensions :202 x 113 x 184cm

13. wheel base :130cm

14. seat height from ground :60cm 15. ground clearance :80mm

16. load capacity :370kg

17. fuel tank capacity :8L

18. gross weight in carton :202kg

19. net weight :178kg

20. packing size:190 x112 x 75cm Conveyance:Qty/20' GP: 18 units,Qty/40' HQ: 42 units



NGT-A15

1. engine type :300cc Water Cooled,CVT

2. max torque: 19.5Nm/5000r/min,20.5Nm/5000r/min

3. max power :13Kw/6500r/pm 4. ignition type :CDI

5. transmission: Automatic 6.Brake (Front/Rear):Disc/Disc

7. starting system :Electric&pull start

8. battery spec :12V,9AH

9. vehicle dimensions :2500x1270x1100mm

10. front tire spec: 130/60-13 rear tires spec: 270/30-14

11. fuel tank capacity:12L

12. gross weight in carton :250kg

13. net weight :240kg

14. packing size:2320x1280x1050mm

15.wheelbase 71cm / seat height 70cm /ground

clearance 8.5cm

16. packing size:226X66X113cm Conveyance:8pcs/20ft,18pcs/40'HQ



NGT-A16

1. engine type :125cc four stroke

2. max torque : 19.5Nm/5000r/min,20.5Nm/5000r/min 3. max power :13Kw/6500r/pm

4. ignition type :CDL

5. transmission :1+1 or 3+1 428 chain drive

6.Brake (Front/Rear):Disc/Disc

7. starting system :Electric start 8. battery spec :12V,9AH

9. vehicle dimensions :1920x1030x1030mm

10. front:sleigh, back:caterpillar drive 11. fuel tank capacity :6L

12. gross weight in carton :220kg

13. net weight :200kg 14. load capacity:280KGS

15. packing size: 16.wheelbase: 12cm

17. packing size:226X66X113cm

18. climb ability:60 19:absorb: front and back hydraulic shock absorber

20. max speed:50KM/H

Conveyance:36pcs/20ft,91pcs/40'HQ



NGT-A17

1. engine type:150cc/200cc 4 stroke

2. max torque : 19.5Nm/5000r/min,20.5Nm/5000r/min

3. max power :13Kw/6500r/pm

4. ignition type :CDL

5. transmission :1+1 KMC 530 chain drive 6.Brake (Front/Rear):Disc/Disc 7. starting system :Electric&pull start

8. battery spec :12V,9AH

9. vehicle dimensions :2310x1100x1130mm 10. front:sleigh, back:caterpillar drive

11. fuel tank capacity :7L

12. gross weight in carton :260kg 13. net weight :240kg

14. load capacity:280KGS

15. packing size: 16.wheelbase: 12cm

17. packing size:226X66X113cm 18. climb ability:70

19:absorb: front and back hydraulic shock absorber

20. max speed:60KM/H

Conveyance:33pcs/20ft,64pcs/40'HQ



1. engine type :150cc/200cc 4 stroke

2. max torque : 19.5Nm/5000r/min,20.5Nm/5000r/min

3. max power :13Kw/6500r/pm 4. ignition type :CDL

5. transmission :1+1 KMC 530 chain drive 6.Brake (Front/Rear):Disc/Disc

7. starting system :Electric&pull start

8. battery spec :12V,9AH 9. vehicle dimensions :2310x1100x1130mm

10. front:sleigh, back:caterpillar drive

11. fuel tank capacity :7L

12. gross weight in carton :260kg 13. net weight :240kg

14. load capacity:280KGS

15. packing size:

16.wheelbase: 12cm 17. packing size:226X66X113cm

18. climb ability:70

19:absorb: front and back hydraulic shock absorber

20. max speed:60KM/H

Conveyance:33pcs/20ft,64pcs/40'HQ



1. engine type :125cc four stroke 2. max torque : 19.5Nm/5000r/min,20.5Nm/5000r/min

3. max power :13Kw/6500r/pm

4. ignition type :CDL

5. transmission :1+1 or 3+1 428 chain drive

6.Brake (Front/Rear):Disc/Disc

7. starting system :Electric start

8. battery spec :12V,9AH

9. vehicle dimensions :1920x1030x1030mm

10. front:sleigh, back:caterpillar drive

11. fuel tank capacity :6L 12. gross weight in carton :220kg

13. net weight :200kg

14. load capacity:280KGS

15. packing size: 16.wheelbase: 12cm

17. packing size:226X66X113cm

18. climb ability:60

19:absorb: front and back hydraulic shock absorber


20. max speed:50KM/H

Conveyance:36pcs/20ft,91pcs/40'HQ

KIDS ATV

NGEA-01		Motor:1000W brush motor Battery: 36V12Ah Tires(Front/Rear):4.1-6/13*5-6 G.W: 53kg Max speed: Max load capacity: 100Kgs Gear: F/N/R Speed: 3 top speed limit Colored rim JINDUN brand engine JINCHENG brand charger JINGCHENG brand controller JUHUANG/CHILWEE	1000W36V12AH US\$233.00/PC	80PCS/20GP 200PCS/40HQ (Steel+Carton 4 wheels off)	1) High quality tubeless tires +USD2.00 (highly recommended) 2)Pedal switch+USD2.00 (3)DMHC high quality, waterproof controller +USD4.00 (highly recommended 4)Tralier +USD38.00 5)UL/CE/SAA approved high quality charger +USD4.00/PC
NGEA-02		Motor: 350W (500W,800W optional) Battery: 36V12Ah Tires(Front/Rear): 13.5*5-6 N.W: 41kg G.W: 51kg Max speed:20km/h(350W) Max load capacity: 80Kgs Gear: F/N/R Speed: 3 top speed limit function	500W36V12AH US\$208.00/PC, 800W36V12AH US\$215.00/PC.	208PCS/40HQ	1) 3-Speed key switch: +\$2.50 2) 36V14Ah battery +\$8.00(than 36V12Ah) 3) Color coated rim +\$1.00 4) Headlight +\$3.00
NGEA-03		Motor:500W brush motor Battery: 36V12Ah Tires(Front/Rear):4.1-6/13*5-6 Max load capacity: 80Kgs Gear: F/N/R JINDUN brand engine JINCHENG brand charger JINGCHENG brand controller JIUHUANG/CHILWEE battery	500W36V12AH US\$220.00/PC, 800W36V12AH US\$223.00/PC.	176PCS/40HQ (Steel+Carton 4 wheels off)	1) 3-Speed key switch: +\$2 2) Color coated rim +\$1.00 3) High quality tubeless tires +USD2.00 (highly recommended) 4)Pedal switch+USD2.00 5)DMHC high quality, waterproof controller +USD4.00 (highly recommended 6)Tralier +USD38.00 7)UL/CE/SAA approved high quality charger +USD4.00/PC
NGEA-04		Motor:1000W Battery: 36V12Ah Tires(Front/Rear):4.1-6/13*5-6 N.W: 41kg G.W: 51kg Max speed: 35km/h Max load capacity: 80Kgs Gear: F/N/R Speed: 3 top speed limit function Colored rim JINDUN brand engine JINCHENG brand controller JINGCHENG brand controller JIUHUANG/CHILWEE battery	1000W36V14AH US\$220.00/PC	272PCS/40HQ (Steel+Carton 4 wheels off)	1) High quality tubeless tires +USD2.00 (highly recommended) 2)Pedal switch+USD2.00 3)DMHC high quality, waterproof controller +USD4.00 (highly recommended 4)Tralier +USD38.00 5)UL/CE/SAA approved high quality charger +USD4.00/PC
NGEA-05	HIGHPET	Motor: 350W (500W,800W optional) Battery: 24V12Ah(36V12Ah optional) Tires(Front/Rear): 3.00-4 N.W: 36kg G.W: 41kg Max speed:20km/h(350W) Max load capacity: 80Kgs Gear: F/N/R Speed: 3 top speed limit function	350W24V12AH US\$178.00/PC, 500W36V12AH US\$202.00/PC, 800W36V12AH US\$209.00/PC.	208PCS/40HQ	1) 3-Speed key switch: +\$2.50 2) 36V14Ah battery +\$8.00(than 36V12Ah) 3) Color coated rim +\$1.00
NGEA-06		Motor: 350W (500W,800W optional) Battery: 36V12Ah Tires(Front/Rear): 4.10-4 G.W: 41kg Max speed:20km/h(350W) Max load capacity: 80Kgs Gear: F/N/R Speed: 3 top speed limit	350W36V12AH US\$185.00/PC, 500W36V12AH US\$195.00/PC, 800W36V12AH US\$202.00/PC.	88PCS/20FT 238PCS/40ft HQ	1) 3-Speed key switch: +\$2.50 2) 36V14Ah battery +\$8.00(than 36V12Ah)

NGEA-07	Output:500W. Voltage:36VDC Tires(Front/Rear):14.5x7-6/14.5x7-6 Wheel base:870mm Seat height:610mm N.W: 82kg G.W:94kg Max speed:16km/h Max load capacity: 100Kgs Gear: F/N/R Output:500W. Voltage:48VDC Tires(Front/Rear):16x8.0-7/16x8.0-7 Wheel base:870mm Seat height:610mm N.W: 82kg G.W:94kg Max speed:16km/h Max load capacity: 100Kgs Gear: F/N/R	500W36V12AH US\$315.00/PC, 800W36V12AH US\$325.00/PC. 500W48V20AH US\$435.00/PC 800W48V20AH US\$445.00/PC. 1000W48V20AH US\$460.00/PC.	136PCS/40HQ	Big Digital speedometer: +\$10.00 Big Digital speedometer: +\$10.00
NGEA-09	Motor power: 500W Battery:lead acid battery,12A/12V*3PCS Loading capacity:65KGS Max Speed:25km/h G.W/N.W:50/45KGS Transmission system:chain Tire:4" tire Charging time:6-8 hours Braking system(F/R):disc brake Carton size:98.5x57x44cm-4" tires Container loading:287pcs/40'HQ	500W36V12AH US\$175	287pcs/40'HQ	
NGEA-10	Motor power: 500W/800W Battery:lead acid battery,12A/12V*3PCS Loading capacity:65KGS Max Speed:25km/h G.W/N.W:52/47KGS Transmission system:chain Tire:4" tire(6" tire is also available) Charging time:6-8 hours Braking system(F/R):disc brake Vehicle size:1030×660×630mm Carton size:103x57x44cm-6" tires Container loading:276pcs/40'HQ	500W36V12AH US\$179.00 800W36V12AH US\$183.00	276pcs/40'HQ	
NGEA-11	Motor power: 500W Battery:lead acid battery,12A/12V*3PCS Loading capacity:65KGS Max Speed:30km/h Transmission system:chain Tire:6" tire Charging time:6-8 hours Braking system(F/R):disc brake Vehicle size:1030×660×710mm N./G. Weight:45/50kgs Carton Size:103x57x48cm Container loading:230pcs/40'HQ	500W36V12AH US\$176.00 800W36V12AH USS180.00	230pcs/40'HQ	
NGEA-12	Motor power: 500W/36V Battery:lead acid battery,12A/12V*3PCS Loading capacity:65KGS Max Speed:25km/h Transmission system:chain Tire:4.10-4 Charging time:6-8 hours Braking system(F/R):disc brake Vehicle size:1030×660×630mm G.W/N.W:48/43KGS Carton size:103x57x43.5cm-4" tires Container loading:287pcs/40'HQ	500W 36V12AH US\$178.00 (4" tires,with charger)	287pcs/40'HQ	



Motor power: 800W/36V
Battery:lead acid
battery,12A/12V*3PCS
Loading capacity:65KGS
Max Speed:25km/h
Transmission system:chain
Tire:4.10-6(F);13X5.00-6(R)
Charging time:6-8 hours
Braking system(F/R):disc brake
Vehicle size:1050×660×730mm
G.W/N.W:55/47kgs
Carton Size:112x59x52cm
Container loading:205pcs/40'HQ

800W 36V12AH US\$185.00 (6" tires,with charger)

205pcs/40'HQ





Motor power: 800W
Battery:lead acid
battery,12A/12V*3PCS
Loading capacity:65KGS
Max Speed:30km/h
Transmission system:chain
Tire:6" tire
Charging time:6-8 hours
Braking system(F/R):disc brake
N./G. Weight:45/50kgs
Carton Size:103x57x48cm
Container loading:230pcs/40'HQ

500W36V12AH US\$181.00 (6" tires,with charger) 800W36V12AH US\$185.00 (6" tires,with charger)

230pcs/40'HQ





Motor power: 800W
Battery:lead acid
battery,12A/12V*3PCS
Loading capacity:65KGS
Max Speed:25km/h
Transmission system:chain
Tire:6" tire
Charging time:6-8 hours
Braking system(F/R):disc brake
N./G. Weight:45/50kgs
Carton Size:103x57x48cm
Container loading:230pcs/40'HQ

500W36V12AH US\$181.00 (6" tires,with charger) 800W36V12AH US\$185.00 (6" tires,with charger)

230pcs/40'HQ

Camo color+\$5.00





Motor power: 800W
Battery:lead acid
battery,12A/12V*3PCS
Loading capacity:65KGS
Max Speed:25km/h
Transmission system:chain
Tire:6" tire
Charging time:6-8 hours
Braking system(F/R):disc brake
N./G. Weight:45/50kgs
Carton Size:105x57x48cm
Container loading:220pcs/40'HQ

500W36V12AH US\$190.00 (6" tires,with charger) 800W36V12AH US\$194.00 (6" tires,with charge)

220pcs/40'HQ

MOTORCYCLES









2.start mode:foot&electric
3.battery:12v 6.5ah
4.brake:Hydraulic disc brake front and rear
5. body size; 190*70*84.5cm
6.packing size: 172*410*70 cm
7. tyre; 12"front and 10"rear
8. wheelbase: 147cm
9. the highest speed: 70km/h
11.displacement:110cc
11.bearing capacity:150kgs
12.set height:42cm
13.fuel tank capacity:1.75L
14.fuel:gasoline

1.engine:single cylinder,4stroke,air cooling

NGT-DB04

NGT-DB01

1.engine:4 stroke,air coolng,gasoling,manual clutch

2.start mode:foot&electric
3.displacement: 150cc
4.maximum Torque:8.0Nm
5.gross weight:110kgs
6.body size:235*94*87cm
7.packing size: 221*61*74 cm
8.the highest speed:130km/h
9.tyre:front 15",rear 13"

10.brake:Hydraulic disc brake front and rear

11.fuel:gasoline

NGT-DB02

1.engine:single cylinder,4stroke,air cooling

2.start mode:foot&electric

3.battery:12v 6.5ah

4.brake:Hydraulic disc brake front and rear

5.fuel tank capacity:1.75L 6.tyre size:12"front and 10"rear 7.body size:176*37*69.5cm 8.wheel base:147cm

9.seat height:42cm 10.highest speed:70km/h 11.bearing capacity:150kgs 12.packing size: 157*43*77

13.fuel:gasoline

NGT-DB03

1.engine:single cylinder,4stroke,air cooling

2.start mode:foot&electric

3.battery:12v 6.5ah

4.brake:Hydraulic disc brake front and rear

5.fuel tank capacity:3.5L 6.tyre size:13"front and 12"rear 7.body size:215*70*97cm

8.wheelbase:164cm 9.seat height:47cm

10.highest speed:70km/h 11.bearing capacity:150kgs 12.packing size: 192*37*72cm

13.fuel:gasoline



NGT-DB05

1. engine type :150CC CTV

2. Material: steel tube

3. tire:10 inch Iron

4. GW:100KGS

5. Max speed:80KM/H

6.Max load:300KGS

7.range of per gasoline:210KM

8. climb ablity:40

9. way to speed:turn the handbar

10. back brake:Oil brake +Dis brake 11.consuption of the fuel:3L/100KM

12.fuel tank capacity:7L

13.size of the product:175x70x75

ELECTRIC MOTORCYCLE









NGT-EM01

1.start mode:electric

2.battery:20ah

3.motor:48v 500w

4.braking mode:hydraulic disc brake front and Drum brake rear

5.tyre size:12"front and 10"rear 6.body size:190*70*84.5cm 7.packing size: 172*410*70cm 8.bearing capacity:150kgs 9.highest speed:60km/h

10.fuel:electric

NGT-EM02

1.Motor: 60V 1500W 2. Material: steel tube 3. tire:10 inch Iron

4. GW:100KGS

5. Max speed:50KM/H 6.Max load:200KGS

7.range of per charge:40KM

8. climb ablity:40

9. way to speed:turn the handbar 10. back brake:Oil brake +Dis brake

11. charge time:8-10H 12:battery:60V 20Ah

13.size of the product:185*70*75cm

NGT-EM03

1.Motor: 1500W

2. Material: steel tube3. tire:12 inch Iron4. GW:100KGS

5. Max speed:45KM/H

6.Max load:200KGS

7.range of per charge:40KM

8. climb ablity:40

9. way to speed:turn the handbar

10. back brake:Oil brake +Dis brake

11. charge time:4-5H12:battery:60V12Ah

13.size of the product:185*70*75cm

NGT-EM04

1.Motor: 1200-5500W

2. Material: steel tube 2.0mm

3. tire:front:130-70-12, back:18*9.5 inch

4. GW:100KGS

5. Max speed:45KM/H

6.Max load:280KGS

7.range of per charge:40KM

8. climb ablity:35

9. way to speed:turn the handbar

10. back brake:Oil brake +Dis brake

11. charge time:8-10H

12:battery:60V-72V/20-80AH

13.size of the product:185*73*105cm









NGT-EM05

- 1. Motor: 1500W
- 2.battery:72V
- 3. start way:electric start
- 4. gear: three gear(forward, reverse, neutral gear)
- 5. transmission :shaft drive
- 6.Brake (Front/Rear):hydraulic brake
- 7. ground clearance:180mm
- 8. speed: 45km
- 9. range for each charge:60km
- 10. product size:2480*1450*1800mm
- 11. packing size:2400*1300*900mm
- 12:charge time:8-10hs

NGT-EM06

- 1. Motor: 1500W
- 2.battery:72V
- 3. start way:electric start
- 4. gear: three gear(forward, reverse, neutral gear)
- 5. transmission :shaft drive
- 6.Brake (Front/Rear):hydraulic brake
- 7. ground clearance:180mm
- 8. speed: 45km
- 9. range for each charge:60km
- 10. product size:2480*1450*1800mm
- 11. packing size:2400*1300*900mm
- 12:charge time:8-10hs

NGT-EM07

- 1. Motor: 1500W
- 2.battery:12V 20Ah*5 (60V, 20Ah)
- 3. start way:electric start
- 4. gear: three gear(forward, reverse,neutral gear)
- 5. transmission :shaft drive
- 6.Brake (Front/Rear):Disc brake
- 7. ground clearance:220
- 8. speed: 45km
- 9. range for each charge:60km
- 10. product size:2530x1075x1120mm
- 11. packing size:1490x840x750mm
- 12. Charge time: 2.5 Hours

NGT-EM08

- 1. Motor: 1500W
- 2.battery:72V
- 3. start way:electric start
- 4. gear: three gear(forward, reverse, neutral gear)
- 5. transmission :shaft drive
- 6.Brake (Front/Rear):Disc brake
- 7. body:can open
- 8. speed: 45km
- 9. range for each charge:100km
- 10. suspension:hydraulic shock absorption
- 11.size of the product:2.35*1.15*1.15m
- 12. Charge time: 2.5 Hours

HARLET SCOOTER

EEC/ISO9001/VIN No

Madai	Dhata		inetian		•		·	1
Model	Photo	Specification Material : Steel tube						
				_ (Color		configuration	Packing
		Battery : Li-on Bat			1	700		
		Motor Power: 1500		The				
		size:1296mmx750i	The state of the s				E	
		Seat cushion heig						
		Wheel base :1296	01	02	03			
		Tyre:18x9.5inch						
		Front brake :Oil br	/A	/A				
		Max Speed: 30-50					TO THE LEAD OF	VIII Della
		Range Per Charge						
		Max gradeability:		16	17	18		
		Maximum mileage						
		Maximum load :20	The state of the s			(A)/A		
		Product Size:1900	1					
		Working Temperat						
		Charge time : 6 ho	19	20	21			
NGT-		Packing : 175*39*8		-	-			
HS01		N.W/G.W :65KG/7						
		Front absorber	Yes					
		Front light	Yes,Emark					
	£ .	Brake light	Yes,Emark	22	23	24		
	4	Turn light Horn	Front/Rear,Emark					
		Mirror	Yes,Emark Yes,Emark					
		KickStart Power S		1			Manual Control of the	
		Handle Lock	Yes					
		VIN number	Yes	25	26	27		
		Charger	CE/LVD	23	20			CATAGORIA CATAGORIAN CATAGORIAN CATAGORIAN
		Battery	MSDS,UN38.3					
		Controller	CE/LVD					
		APP	RMB40					THY THY THY THY
		60V,12A	RMB550					
		Remote Controller		28	29	30		
		Seat	Two seats.				0	ENGRAPHER SPICKERS SPICKERS HOLL
		and the second s						The state of the s

EEC/ISO9001/VIN No

Model	Photo	Specif	ication	_				
		Material : Steel tub			Color		configuration	Packing
		Battery: Li-on Batt Motor Power: 1500 size:1296mmx750r Seat cushion heigh Wheel base:1296r Tyre:18x9.5inch Front brake:Oil brown Max Speed: 30-50 Range Per Charge Max gradeability: Maximum mileage: Maximum load:200 Product Size:1900	tery 60V 12AH OW mm t:700mm mm ake +Disc Brake Okm/h ::35-40KM 30 degree 35-40KM OKGS x390x1000mm	01	02 17	03	configuration	Packing
NGT- HS02		Working Temperat Charge time: 6 ho Packing: 175*39*8 N.W/G.W:65KG/7 Front absorber Front light Brake light Turn light Horn Mirror KickStart Power S Handle Lock VIN number Charger Battery Controller APP 60V,12A Remote Controller Seat	ure :10-40 degree urs 35 5KG Yes Yes,Emark Yes,Emark Front/Rear,Emark Yes,Emark Yes,Emark	19 22 25 25	20 23 26 29	21 24 27 27		BATTORIES BATTOR





NGT-HS04

- 1.Material: steel tube
- 2.Motor:60V 1000W brushless motor
- 3.Battery:60V,12AH
- 4. Charge time: 8-10h
- 5. CE certificate
- 6.front brake:Oil brake +Disc Brake
- 7.back brake:Oil brake +Dis brake
- 8.way to speed:turn the handbar
- 9.brake: electromagnetic brake
- 10.climb ablity:40
- 11.range of per charge:40KM
- 12.max speed:70KM/H
- 13.Max load:200KGS
- 14. tire. 8 inch Iron
- 15.GW:60KGS
- 16.packing size:175x38x80cm



NGT-HS05

- 1.Material: steel tube
- 2.Motor:60V 1000W brushless motor
- 3.Battery:60V,12AH
- 4. Charge time: 8-10h
- 5. CE certificate
- 6.front brake:Oil brake +Disc Brake
- 7.back brake:Oil brake +Dis brake
- 8.way to speed:turn the handbar
- 9.brake: electromagnetic brake
- 10.climb ablity:40
- 11.range of per charge:40KM
- 12.max speed:50KM/H
- 13.Max load:200KGS
- 14.tire:8 inch Iron
- 15.GW:70KGS
- 16.packing size:175x85x122cm



Weight Max speed Per charger Lithium battery Max load Max climbing Water Proof Motor Tire Brake Lcd Display Charger Voltage Charger Time Package Size without

Suspension Package Size with Suspension Folding Size Unfolding Size

7.6-8.8 KG 25 Km/h 20 Km 24 V / 4.4-10.4 Ah 120 Kg 15° IP56 250 W / 480 W(Max) 5.5'

EBS Brake / Foot Brake Speed, Gear, Power Display 100 - 220 V (In) / 29 V (Out) / 2A 3-4 Hour

1070 x 185 x 250 mm

1120 x 185 x 250 mm

1000 x 367 x 159 mm 1000 x 367 x 922 mm

NGT - ES01	Chinese Battery Price	Range	Color	Optional parts
aluminium alloy4.4Ah	US \$105	15 km	Black、White、Red、Blue	
aluminium alloy6.6Ah	US \$115	23 km	Black、White、Red、Blue	Front suspension +5us
aluminium alloy8.8Ah	US \$125	30 km	Black、White、Red、Blue	



Chinese

Battery Price

US \$185

US \$195

Range

30 km

35 km

Max speed Per charger Lithium battery Max load Max climbing Water Proof Motor Tire Brake Lcd Display Charger Voltage **Charger Time** Package Size with Suspension Folding Size Unfolding Size

Color

Weight

11 KG 30 Km/h 30-40 Km 36 V / 6.6-10.4 Ah 120 Kg 15° **IP56** 350 W / 480 W(Max) 8' EBS Brake / Foot Brake Speed, Gear, Power Display 100 - 220 V (In) / 42 V (Out) / 2A 4-5 Hour 1060 x 230 x 410 mm

940*1160*210mm Optional parts Black、White、Red、Blue Bottom side light +1 Black、White、Red、Blue

> 12.5 KG 30 Km/h

940*330*150mm

NGT - ES02

aluminium alloy6.6Ah

aluminium alloy7.8Ah

Max speed Per charger Lithium battery Max load Max climbing Water Proof Motor Tire **Brake** Lcd Display Charger Voltage **Charger Time** Package Size with Suspension Folding Size

Weight

30-40 Km 36 V / 6.0-8.0 Ah 120 Kg 15° IP56 350 W 8' Disk Brake Speed, Gear, Power Display 100 - 220 V (In) / 42 V (Out) / 2A 4-5 Hour 1150 x 520 x 190 mm

1080*430*450mm

Unfolding Size 1080*430*1140mm Chinese NGT - ES03 Range Color **Battery Price** aluminium alloy6.6Ah US\$190.00 30 km Black、White US\$205.00 40 km Black、White aluminium alloy7.8Ah



Weight Max speed Per charger Lithium battery Max load Max climbing Water Proof Motor Tire Brake Lcd Display Charger Voltage Charger Time Package Size Folding Size

13 KG 26 Km/h 20-40 Km 36 V / 4.4-12.8 Ah 200 Kg 15° IP56 300 W / 600 W(Max) 10' EBS Brake / Foot Brake Speed, Gear, Power Display 42V (Out) / 2A 3-4 Hour 1300 x 600 x 480 mm 1180 x 550 x 435 mm 1180 x 550 x 1175 mm

			Unfolding Size 1180 x 550 x 1175 mm		
NGT - ES04	Chinese Battery Price	Range	LG Battery Price	Range	Optional parts
36V4.4AH	US\$200.00	15-20 km	US\$225.00	20 km	Direction ACLION
36V6.6AH	US\$215.00	25-30km	US\$250.00	30 km	Big light +15USD, Seat+15USD
36V8.8AH	US\$230.00	30-35 km	US\$275.00	40 km	Seat+1303D



Weight Max speed Per charger Lithium battery Max load Max climbing Water Proof Motor Tire Brake Lcd Display Charger Voltage **Charger Time** Package Size with Suspension 20FT:470PCS

15-25 Km 36V/4.4-5.0 120 Kg 15° IP56 250 W 5.5' EBS Brake / Foot Brake Speed, Gear, Power Display 00 - 220 V (In) / 42 V (Out) / 2A 3-4 Hour 97*20.5*33CM

9.5 KG

25 Km/h

40HQ:1100PCS 40FT:980PCS Unfolding Size 93.5*50*108CM

NGT - ES05	Chinese Battery Price	Range	Color	
36V4.4AH	US\$165.00	15-20KM	Black、RED	
36V5.0AH	US\$170.00	20-25 km	Black、RED	



Weight Max speed Per charger Lithium battery Max load Max climbing Water Proof Motor Tire **Brake** Lcd Display Charger Voltage Charger Time Package Size with Suspension 20FT:300PCS 40FT:660PCS

IP56 250 W 8' EBS Brake / Foot Brake Speed, Gear, Power Display 00 - 220 V (In) / 42 V (Out) / 2A 3-5 Hour 101.5*20.5*40CM

40HQ:745PCS

11.4 KG

25 Km/h 20-35 Km

36V/4.0-7.5 120 Kg

15°

Unfolding Size 103*57.5*<u>113CM</u> Chinese NGT - ES06 Range Color **Battery Price** 36V4.4AH US\$180.00 15-20KM Black、RED



Weight
Max speed
Per charger
Lithium battery
Max load
Max climbing
Water Proof
Motor
Tire
Brake
Lcd Display
Charger Voltage
Charger Time
Package Size with
Suspension

25-30 Km/h 30-40 Km 36 V / 4.0-8.0 Ah 120 Kg 15° IP56 250 W 8' EBS Brake / Foot Brake Speed, Gear, Power Disp

11.4 KG

EBS Brake / Foot Brake Speed, Gear, Power Display 100 - 220 V (In) / 42 V (Out) / 2A 3-5 Hour

1025 x205 x 405 mm

			009 00	
NGT - ES07	Chinese Battery Price	Range	Color	
36V4.4AH	US\$175.00	15-20KM	Black、RED	
36V5.2AH	US\$180.00	20-25 km	Black、RED	
36V6.0AH	US\$190.00	25-30KM	Black、RED	
36V7.5AH	US\$200.00	30-35km	Black、RED	



Weight
Max speed
Per charger
Lithium battery
Max load
Max climbing
Water Proof
Motor
Tire
Brake
Lcd Display
Charger Time

Package Size

13.6 KG
20km/h
20km
36V/5.2AH-7.5Ah
100 Kg
15°
IP56
280 W
8'
EBS Brake / Foot Brake
Speed, Gear, Power Display

3-5 Hour 930*220*380mm

	NGT - ES08	Chinese Battery Price	Range	Color	Optional parts	
	36V5.2AH	US\$130.00	15-20KM	Black	Electric meters+5, \$	Seat+10
_	36V7.5AH	US\$143.00	20-25 km	Black	Electric meters+5, \$	Seat+10



Weight
Max speed
Per charger
Lithium battery
Max load
Max climbing
Water Proof
Motor
Tire
Brake
Lcd Display
Charger Time
Package Size
Unfolding Size
Folding Size

25-35 Km/h
30-35 Km / 40-45Km / 50-55Km
/ (8.8AH/10.4 Ah / 15.6Ah / 18.2
120 Kg
15°
IP56
400 W
8'
EBS Brake / Foot Brake
Speed, Gear, Power Display
3-5 Hour
1020 x 220 x 380 mm
980 x 150 x 1100-1200 mm
1000 x 150 x 3000 mm


14KG / 14.68KG / 18.2KG

NGT - ES09	Chinese Battery Price	Range	Color	Optional parts
36V 8.8AH	US\$198.00	30-35	Black	
36V 10.4AH	US\$207.50	35-40	Black	
36V 15.4AH	US\$236.50	40-45	Black	
36V 18.2AH	US\$255.50	50-55	Black	

			Gross Weight	16	5.5KGS(2PCS)
			Net Weight	1	5KGS(2PCS)
			Max speed		10 Km/h
7			Per charger		5-8Km
			Lithium battery		22 V 2.6Ah
			Max load		100 Kg
7			Max climbing		15°
			Water Proof		IP56
			Motor		150 W
			Tire		8'
L.			Brake	Foot Brake	
			Lcd Display	Lcd Display	
			Charger Voltage		25.2V1Ah
	12 3		Charger Time		2.5 Hours
	9		Folding Size	86	0*320*135mm
			Packing Size	835*3	325*350mm(2pcs)
NGT - ES011	Chinese Battery Price	Range	Color		
22V2.6AH	US\$83.00	5-8KM	Black、White		

			Weight Max speed Per charger Lithium battery Max load Max climbing Water Proof Motor Tire Brake Lcd Display Charger Voltage Charger Time Package Size	Speed, AC 100 -	19.5KG 30-35Km/h 40-45Km 48v13AH 120 Kg 15° IP56 500W 10' ISC Brakeshu Gear, Power Display 240 V, 50-60 Hz 90W 4-6 Hour	
NGT - ES012	Chinese Battery Price	Range	Color		Optional parts	
48V13AH	US\$284.00	50-55km	Black		turning light +5 , S	EAT +15 USD
				T		1
			Weight Max speed Per charger Lithium battery		19.5KG 35-55 Km/h 45-50Km 8 V (21Ah)	

48V13AH	05\$284.00	วบ-ววหฑ	Віаск		turning light +5 ,	SEAT +15 USD
			'	•		
_6	-		Weight		19.5KG	
			Max speed		35-55 Km/h	
			Per charger		45-50Km	
Y			Lithium battery		8 V (21Ah)	
			Max load		120 Kg	
			Max climbing		15°	
			Water Proof		IP56	
			Motor		700 W	
			Tire		10'	
			Brake		EBS Brake	
	2004		Lcd Display	Speed,	Gear, Power Display	
EGI	1		Charger Voltage	AC 10	0 - 220 V, 50-60 Hz	
			Charger Time		4-6 Hour	
			Package Size	1190m	nm*310mm*360mm	
NGT - ES013	Chinese	Range	Color		Optional parts	
	Battery Price	55.001/04				
52V13AH	US\$322.00	55-60KM	Black		turning light +5,	SEAT +15 USD



N.W. G.W. Motor Tire Max speed Range per charge **Battery Charging Time** Charger Max load Max climbing ²rotection level duct unfolding size oduct folding size Package size Loading

12KG 14.8KG 300W(Max 600W) 8 inch front and 7.5 inch rear 20-25Km/h 25Km (45Km) 36V 5.2Ah 3-4H C100 \sim 240V input 50-60Hz, 71 $^{\circ}$ 100 KG 10° IPX4 1020*430*1130mm 1130*430*400mm 1070*192*370mm 350pcs/20GP,860pcs/40HQ

1*20CD

			MOQ	1 20GP
NGT - ES015	FOB(ningbo)	Range	Color	
36V5.2Ah	US\$190.00	25Km	Black、White、silve	er
36V5.2Ah +5.2AH external battery	US\$250.00	45Km	Black、White、silve	G.W.:16.5KG N.W.:14KG



Weight Max speed Per charger Lithium battery Max load Max climbing Water Proof Motor Tire Lcd Display Unfolding Size Folding Size Charger Voltage **Charger Time** Package Size

10-30Km 24 V 4.4Ah/6.6Ah/8.8Ah/10.4Ah 120 Kg 15° **IPSS** 250 W Speed, Gear, Power Display 920mm*405mm*1000mm 1000mm*405mm*235mm 100-240V 50Hz/60Hz 2-4 Hour 1090mm*210mm*270mm

16KG

30KM/H

25/35KM

4-6Hours 104x23x40CM

6.5KG/7.1KG/7.5KG

10-20 Km/h

NGT - ES016	Chinese Battery Price	Range	Color	
aluminium alloy4.4Ah	US\$95.00	10-15KM	Black	
aluminium alloy6.6Ah	US\$102.00	15-18KM	Black	
aluminium alloy8.8Ah	US\$110.00	20-22KM	Black	
aluminium alloy10.4Ah	US\$119.00	25-30KM	Black	
carbon fiber4.4Ah	US\$125.00	10-15KM	Black	
carbon fiber6.6Ah	US\$133.00	15-18KM	Black	
carbon fiber8.8Ah	US\$141.00	20-22KM	Black	
carbon fiber10.4Ah	US\$145.00	25-30KM	Black	



Weight Max speed Per charger Lithium battery Max load Max climbing Water Proof Motor

Tire Lcd Display Horn **Brake** Charger Voltage **Charger Time** Package Size

36V 8Ah/11Ah Lithium battery 120 Kg 15° **IPSS** 350W brushless motor 8 inch Front with Pneumatic tire, Rear Solid tire LCD colorful display with USB Inside the Front light Rear with Drum Brake 100-240V 50Hz/60Hz

Chinese NGT - ES017 Color Range **Battery Price** 8AH aluminium US\$210.00 10-15KM Black US\$230.00 15-18KM 11Ah aluminium Black

HOOVERBOARD







NGT-H01

- 1.motor:250Wx2 brushless motor
- 2. battery:36V 4.0AH
- 3. per range of charge:15-20Km
- 4. charge time:1-2 hs
- 5. fast speed:15Km/H
- 6.charge voltage:90-240V
- 7.climb ability:15-20
- 8. tire:10 inch wide tire
- 9. G.W.:15.9KGS
- 10.N.G.:13.9KGS
- 11. load capacity:120KGS
- 12. packing size:640×360×370mm
- 13. color:black, white, red, blue yellow
- 14. certificate:CE/Rohs/GS/FCC/
- 15.328/20ft 633/40ft 797/40HQ

NGT-H02

- 1.motor:350Wx2 brushless motor
- 2. battery:36V 4.0AH
- 3. per range of charge:15-20Km
- 4. charge time:1-2 hs
- 5. fast speed:15Km/H
- 6.charge voltage:90-240V
- 7.climb ability:15-20
- 8. tire:14 inch
- 9. G.W.:20.8KGS
- 10.N.G.:24.6KGS
- 11. load capacity:150KGS
- 12. packing size:680*480*490mm
- 13. color:black, white, red, blue yellow
- 14. certificate:CE/Rohs/GS/FCC/
- 15.328/20ft 633/40ft 797/40HQ

NGT-H03

- 1.motor: 350Wx2 brushless motor
- 2. battery: 54.8V 4.4AH
- 3. per range of charge:15-20Km
- 4. charge time:1-2 hs
- 5. fast speed:15Km/H
- 6.charge voltage:90-240V
- 7.climb ability:15-20
- 8. tire:10 inch wide tire
- 9. G.W.:16KGS
- 10.N.G.:14KGS
- 11. load capacity:120KGS
- 12. packing size:670*360*370
- 13. color:black, white, red, blue, pink
- 14. certificate: CE/Rohs/GS/FCC/
- 15.328/20ft 633/40ft 797/40HQ







NGT-H04

- 1.motor:350Wx2 brushless motor
- 2. battery:36V 4.0AH
- 3. per range of charge:15-20Km
- 4. charge time:1-2 hs
- 5. fast speed:15Km/H
- 6.charge voltage:90-240V
- 7.climb ability:15-20
- 8. tire:8/10 inch wide tire
- 9. G.W.:17KGS
- 10.N.G.:14.5KGS
- 11. load capacity:120KGS
- 12. packing size:880×130×110
- 13. color:black, white, red, blue, gold
- 14. certificate: CE/Rohs/GS/FCC/
- 15.286/20ft 588/40ft 703/40HQ

NGT-H05

- 1.motor:350Wx2 brushless motor
- 2. battery:36V 4.0AH
- 3. per range of charge:15-20Km
- 4. charge time:1-2 hs
- 5. fast speed:15Km/H
- 6.charge voltage:90-240V
- 7.climb ability:15-20
- 8. tire:8/10 inch wide tire
- 9. G.W.:17KGS
- 10.N.G.:14.5KGS
- 11. load capacity:120KGS
- 12. packing size:640×360×365mm
- 13. color:black, white, red, blue yellow
- 14. certificate: CE/Rohs/GS/FCC/
- 15.285/20ft 642/40ft 808/40HQ

NGT-H06

- 1.motor:350Wx2 brushless motor
- 2. battery:36V 4.0AH
- 3. per range of charge:15-20Km
- 4. charge time:1-2 hs
- 5. fast speed:15Km/H
- 6.charge voltage:90-240V
- 7.climb ability:15-20
- 8. tire:8/10 inch wide tire
- 9. G.W.:16KGS
- 10.N.G.:13KGS
- 11. load capacity:120KGS
- 12. packing size:600×370×340mm/640×360×370mm
- 13. color:black, white, red, blue yellow
- 14. certificate: CE/Rohs/GS/FCC/
- 15.344/20ft 715/40ft 901/40HQ 305/633/798





NGT-H07

- 1.motor:350Wx2 brushless motor
- 2. battery:36V 4.0AH
- 3. per range of charge:15-20Km
- 4. charge time:1-2 hs
- 5. fast speed:15Km/H
- 6.charge voltage:90-240V
- 7.climb ability:15-20
- 8. tire:10 inch wide tire
- 9. G.W.:16KGS
- 10.N.G.:14KGS
- 11. load capacity:120KGS
- 12. packing size:640×360×370mm
- 13. color:black, white, red, blue yellow
- 14. certificate: CE/Rohs/GS/FCC/
- 15.328/20ft 633/40ft 797/40HQ

NGT-H08

- 1.motor:350Wx2 brushless motor
- 2. battery:36V 4.0AH
- 3. per range of charge:15-20Km
- 4. charge time:1-2 hs
- 5. fast speed:15Km/H
- 6.charge voltage:90-240V
- 7.climb ability:15-20
- 8. tire:8.5 inch wide tire
- 9. G.W.:17.6KGS
- 10.N.G.:15.6KGS
- 11. load capacity:120KGS
- 12. packing size:640×360×370mm
- 13. color:black, white, red, blue yellow 14. certificate:CE/Rohs/GS/FCC/
- 15.328/20ft 633/40ft 797/40HQ

Our Service

- 1. Reply with 12hours
- 2. Specialist online service
- 3.OEM accepted
- 4.Logo and Advertisement design for free
- 5. Always choose best price transportation for you
- 6. You have our words, business and friendship forever

New Gen Tech Global Cooperation Limited

- 1.100% product quality protection
- 2.100% on-time shipment protection
- 3.100% payment protection

Trade Assurance





